

# EU Declaration of Conformity



Product Type: Recycled Poly/Bamboo Women's T-Shirt  
Manufacturer: Leo Textiles T/A LEO WORKWEAR  
Product ID: TL01-O  
Name: BELSTONE  
Model/Label: LT-008 (R/T)

The above product is in conformity with the PPE regulation (EU) 2016/425 and is identical to the PPE which is the subject of EU certificate SH01242 issued by **Shirley Technologies (Europe) Limited**, **Notified Body 2895**, Sky Business Centre, Port Tunnel Business Park, Office 13 Unit 21, Clonshaugh Business & Technology Park, Dublin 17, ROI.

Relevant Harmonised Standards / Technical Specifications used to which conformity is declared:

EN ISO 20471:2013 + A1:2016 (Class 2), RIS-3279-TOM (Issue 2:2019) and EN 13758-2:2003 (UPF 40+)

This declaration of conformity is issued under the sole responsibility of LEO WORKWEAR.

Signed for on behalf of LEO WORKWEAR

Name: Peter Turner  
Position: Director

Date: 21/09/2022  
Signature:



# BELSTONE

LEO  
WORKWEAR

WOMEN'S T-SHIRT (ECOVIZ®)

CODE: TL01-O-LEO

## WHY THE BELSTONE?

Recycled polyester is blended with super soft and sustainable bamboo in our Comfort range of T-Shirts and Polos.



SUPER-SOFT  
BAMBOO



DURABLE  
POLYESTER



EN13758-2 UV  
PROTECTION



ISO 20471  
CLASS 2



RAILWAY ST'D  
RIS-3279-TOM



6211421000



68-82cm  
LENGTH



BOX  
QUANTITY



XS-6XL

## FEATURES

- > 200GSM Ecoviz®PB Comfort recycled polyester/bamboo
- > Grey collar
- > Super soft bamboo provides comfort and uses a 1/3 of water used to make cotton
- > Modern cross-neck collar
- > Strategically placed Retromax® reflective tape
- > Mitred sleeves



FABRIC

Ecoviz® poly/bamboo fabric



TAPE

Retromax® reflective tape

| SIZE              | XS    | S     | M     | L     | XL     | XXL     | 3XL     | 4XL     | 5XL     | 6XL     |
|-------------------|-------|-------|-------|-------|--------|---------|---------|---------|---------|---------|
| UK WOMENS SIZE    | 8     | 10    | 12    | 14    | 16     | 18      | 20      | 22      | 24      | 26      |
| CHEST TO FIT (CM) | 69-76 | 76-83 | 83-90 | 90-97 | 97-104 | 104-111 | 111-118 | 118-125 | 125-132 | 132-139 |

CARE LABEL




CERTIFIED TO 25 WASH CYCLES

COLOUR (RIS-3279-TOM)



also available



WWW.LEOWORKWEAR.COM



# Shirley

Personal Protective Equipment Regulation (EU) 2016/425

## *Certificate* Module B EU Type-Examination

**Manufacturer**

**Leo Workwear**

1 Whiddon Drive, Barnstaple, EX32 8RY

**Product Description:**

Women's Short Sleeved T-Shirt; Women's Railway Short Sleeved T-Shirt;  
Women's Long Sleeved T-Shirt; Women's Railway Long Sleeved T-Shirt

**Product Code:**

LT-008; LT-008 (R/T); LT-009; LT-009 (R/T)

**Technical File Reference:**

TF 3

**Harmonised Standard(s):**

EN ISO 13688:2013

EN ISO 20471:2013+A1:2016 (LT-008 - Class 2) (LT-009 - Class 2 sizes XS – M; Class 3 size L upwards)

**Technical Specification:**

EN 13758-2:2003 (UPF 40+)

RIS-3279-TOM Issue 2 (2019) - Orange garments only

**Certificate Number: SH01242**

Issued by: Shirley® (Notified Body No. 2895 for Regulation (EU) 2016/425)

**First issue:** 21 September 2022    **Date of Issue:** 21 September 2022    **Expiry:** 21 September 2027

**Authorised by**

**J L Wilson**

Principal Certification Officer

The attached schedule of approval forms part of this certificate.

Note: The validity of this certificate can be confirmed by contacting the Issuing Office:  
Shirley Technologies (Europe) Limited, Sky Business Centre, Port Tunnel Business Park, Office 13  
Unit 21, Clonsaugh Business & Technology Park, Dublin 17, ROI

**Tel:** +353 (0) 01894 1448 **email:** info@shirley.ie **website:** www.shirley.ie





Personal Protective Equipment Regulations (Regulation 2016/425 as brought into UK law and amended)

# Certificate

## Module B Type-Examination

**Manufacturer**

**Leo Workwear**

1 Whiddon Drive, Barnstaple, EX32 8RY

**Product Description:**

Women's Short Sleeved T-Shirt; Women's Railway Short Sleeved T-Shirt;  
Women's Long Sleeved T-Shirt; Women's Railway Long Sleeved T-Shirt

**Product Code:**

LT-008; LT-008 (R/T); LT-009; LT-009 (R/T)

**Technical File Reference:**

TF 3

**Designated Standard(s):**

EN ISO 13688:2013

EN ISO 20471:2013+A1:2016 (LT-008 - Class 2) (LT-009 - Class 2 sizes XS – M; Class 3 size L upwards)

**Technical Specification:**

EN 13758-2:2003 (UPF 40+)

RIS-3279-TOM Issue 2 (2019) (Orange garments only)

**Certificate Number: 524279**

Issued by: BTTG® (Approved Body No. 0338 for Regulation 2016/425 as brought into UK law and amended)

**First issue:** 21 September 2022 **Date of Issue:** 21 September 2022 **Expiry:** 21 September 2027

**Authorised by**

**K Bolton**

**Certification Officer**

**Authorised by**

**J L Wilson**

**Senior Certification Officer**

Shirley Technologies Limited, trading as BTTG®, is a UKAS accredited certification body No.5368

The attached schedule of approval forms part of this certificate.

Note: The validity of this certificate can be confirmed by contacting the Issuing Office:

BTTG®, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom

Tel: +44 (0)161 876 4211 email: certification@bttg.co.uk website: www.bttg.co.uk



5368

# UKCA Declaration of Conformity

**LEO**  
WORKWEAR



Product Type: Recycled Poly/Bamboo Women's T-Shirt  
Manufacturer: Leo Textiles T/A LEO WORKWEAR  
Product ID: TL01-O  
Name: BELSTONE  
Model/Label: LT-008 (R/T)

The above product is in conformity with the PPE regulation 2016/425 as it applies in GB as brought into UK Law and amended (Legislation UK 2019 S1696 Schedule 35 Regulation 38), and is identical to the PPE which is subject of UKCA certificate 524279 issued by **BTTG, Approved Body 0338**, Unit 6 Wheel Forge Way, Trafford Park, Manchester, M17 1EH, United Kingdom.

Relevant Harmonised Standards / Technical Specifications used to which conformity is declared:

EN ISO 20471:2013 + A1:2016 (Class 2), EN 13758-2:2003 (UPF 40+) and RIS-3279-TOM (Issue 2:2019)

This declaration of conformity is issued under the sole responsibility of LEO WORKWEAR.

Signed for on behalf of LEO WORKWEAR

Name: Peter Turner  
Position: Director

Date: 21/09/2022

Signature:

Leo Workwear | 1 Whiddon Drive | Barnstaple | Devon | EX32 8RY

leoworkwear.com | Tel: 01271 378904 | Fax: 01271 327887

Company registered in England no. 1553406. Registered office as above. VAT Registration No. 321166104

Leo Workwear is a Trading Style of Leo Textiles Ltd.



# USER INFORMATION SHEET



The following garments comply with the requirements of PPE Regulation (EU) 2016/425 and Regulation 2016/425 on personal protective equipment, as amended to apply in GB and the following standards - BS EN 13688: 2013 + A1: 2021 and BS EN ISO 20471: 2013 + A1: 2016 using conforming retroreflection performance material and Fluorescent Yellow or Orange background material. Orange fabric complies to rail industry standard RIS-3279-TOM Issue 2: 2019. Note: The colour defined as High Visibility Red fades to Orange/Red after light exposure.

The Declaration of Conformance for this item is available from: [leoworkwear.com](http://leoworkwear.com) or by contacting Leo Workwear at the address below.



**Style: LP-008, LP-008 (R/T)**

**Description:** High visibility women's warning recycled short sleeve polo shirt

**BS EN ISO 20471: 2013 + A1: 2016 Class 2** areas of visible background and retroreflective tape. Two bands of retroreflective material encircling the torso, one band over each shoulder.



**Style: LP-009, LP-009 (R/T)**

**Description:** High visibility women's warning recycled long sleeve polo shirt

**BS EN ISO 20471: 2013 + A1: 2016 Class 2** (XS-Medium) / **Class 3** (Large+) areas of visible background and retroreflective tape. Two bands of retroreflective material encircling the torso and sleeves, one band over each shoulder.



**Style: LT-008, LT-008 (R/T)**

**Description:** High visibility women's warning recycled short sleeve T shirt

**BS EN ISO 20471: 2013 + A1: 2016 Class 2** areas of visible background and retroreflective tape. Two bands of retroreflective material encircling the torso, one band over each shoulder.




**Style: LT-009, LT-009 (R/T)**

**Description:** High visibility women's warning recycled long sleeve T shirt

**BS EN ISO 20471: 2013 + A1: 2016 Class 2** (XS-Medium) / **Class 3** (Large+) areas of visible background and retroreflective tape. Two bands of retroreflective material encircling the torso and sleeves, one band over each shoulder.

**Badge Information:** LP-008 (R/T), LP-009 (R/T), LT-008 (R/T) & LT-009 (R/T) to RIS-3279-TOM Issue 2: 2019

Restricted to company or project name and logo that identify who an individual is working for and titles or designations associated with the management of incidents: Press Officer, Recovery Engineer, First Aider, Train Operators' Liaison Officer (TOLO).

|                             | A         | B         | <b>Garment fit:</b><br>Fit according to chest size:<br> | BS EN ISO 20471 Minimum required areas of visible material in m <sup>2</sup>                                                         |     |      |      |
|-----------------------------|-----------|-----------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-----|------|------|
|                             |           |           |                                                                                                                                          | Garment class                                                                                                                        | 3   | 2    | 1    |
| <b>XS</b>                   | 156 - 204 | 69 - 76   |                                                                                                                                          | Background material                                                                                                                  | 0.8 | 0.5  | 0.14 |
| <b>Small</b>                | 156 - 204 | 76 - 83   |                                                                                                                                          | Retroreflective material                                                                                                             | 0.2 | 0.13 | 0.1  |
| <b>Medium</b>               | 156 - 204 | 83 - 90   |                                                                                                                                          | Combined performance material                                                                                                        | -   | -    | 0.2  |
| <b>Large</b>                | 156 - 204 | 90 - 97   |                                                                                                                                          |  <b>X</b> = Class of garment<br>3 highest, 1 lowest |     |      |      |
| <b>XL</b>                   | 156 - 204 | 97 - 104  |                                                                                                                                          |                                                                                                                                      |     |      |      |
| <b>XXL</b>                  | 156 - 204 | 104 - 111 |                                                                                                                                          |                                                                                                                                      |     |      |      |
| <b>3XL</b>                  | 156 - 204 | 111 - 118 |                                                                                                                                          |                                                                                                                                      |     |      |      |
| <b>4XL</b>                  | 156 - 204 | 118 - 125 |                                                                                                                                          | <b>BS EN ISO 20471:2013 + A1:2016</b>                                                                                                |     |      |      |
| <b>5XL</b>                  | 156 - 204 | 125 - 132 |                                                                                                                                          |                                                                                                                                      |     |      |      |
| <b>6XL</b>                  | 156 - 204 | 132 - 139 |                                                                                                                                          |                                                                                                                                      |     |      |      |
| Measurements in centimetres |           |           |                                                                                                                                          |                                                                                                                                      |     |      |      |

## Limitations of use, warning of misuse:

Garments must be worn outside of the trousers to maintain visualisation of maximum area of required high visibility. Garments must be worn fastened. Should the high visibility properties of garments become seriously impaired the item should be replaced.

**Storage:** Garments should be stored and transported in clean, dry conditions. DO NOT store in areas subject to direct sunlight.

## Cleaning:



Machine wash at 40°C, do not bleach,  
do not dryclean, do not tumble dry,  
do not iron.  
Maximum number of wash cycles 50.



Provides UVA + UVB protection from the sun.  
Sun exposure causes skin damage.  
Only covered areas are protected.  
The protection offered by this item  
may be reduced with use or if stretched or wet.



The stated maximum number of cleaning cycles is not the only factor related to the lifetime of the garment.  
The lifetime will also depend on usage, care, storage, etc.

**Recycling:** Dispose of product according to local environmental guidelines.

**Materials:** Product incorporates: Recycled Polyester/Bamboo and Retroreflective tape.

For more information, contact:

**LEO WORKWEAR**

1 Whiddon Drive, Barnstaple,  
Devon, EX32 8RY

[www.leoworkwear.com](http://www.leoworkwear.com)

UKCA Type Examination Conducted by:

**BTGT Testing & Certification**

Unit 6, Wheel Forge Way,  
Trafford Park, Manchester

M17 1EH

**Approved body: 0338**

EU Type Examination Conducted by:

**Shirley Technologies Europe Limited**

Sky Business Centre, Unit 21, Block 1,  
Port Tunnel Bus. Park, Clonsaugh Bus. & Tech. Park  
Dublin 17

**Notified body: 2895**