

EU Declaration of Conformity

LEO
WORKWEAR



Product Type: High Visibility Women's Breathable Jacket
Manufacturer: Leo Textiles T/A LEO WORKWEAR
Product ID: JL04-Y
Name: ROSEMOOR
Model/Label: LJL-300

The above product is in conformity with the PPE regulation (EU) 2016/425 and is identical to the PPE which is the subject of EU certificate **ITASLNB23021334** issued by: **INTERTEK ITALIA SpA, Notified Body 2575**, Via Miglioli, 2/A – 20063 Cernusco sul Naviglio, Milano - Italy.

Relevant Harmonised Standards / Technical Specifications used to which conformity is declared:

EN ISO 20471:2013 + A1:2016 (Class 3). Size XXS certified to ISO 20471 Class 2. Also in compliance with EN 343:2019 with resistance to water penetration Class 4. Water vapour resistance – Class 4 (Breathable).

*This garment meets level 4 for resistance to water penetration for a maximum of 10 washes, and level 3 for a maximum of 25 washes.

This declaration of conformity is issued under the sole responsibility of LEO WORKWEAR.

Signed for on behalf of LEO WORKWEAR

Name: Peter Turner
Position: Director

Date: 18/03/2024
Signature:

Leo Workwear | 1 Whiddon Drive | Barnstaple | Devon | EX32 8RY

leoworkwear.com | Tel: 01271 378904 | Fax: 01271 327887

Company registered in England no. 1553406. Registered office as above. VAT Registration No. 321166104

Leo Workwear is a Trading Style of Leo Textiles Ltd.



LEO ECOVIZ® 15K PERFORMANCE+ BREATHABLE WOMEN'S JACKET
CODE: JL04-Y-LEO

WHY THE ROSEMOOR?

A jacket specifically designed for women, focused on fit and quality; the Rosemoor offers incredible protection without compromising on comfort.

3

15K







ISO 20471
CLASS 3*

EN343 CLASS 4
WATERPROOFNESS

EN343 CLASS 4
BREATHABILITY

XXS-6XL

10

BOX
QUANTITY

TARIFF

6211421000

15k





HIGHLY
WATERPROOF

WATERPROOF

WINDPROOF

FEATURES

- > Ecoviz® 15K 2-layer laminate recycled polyester, 75% recycled
- > Waterproof, windproof & breathable fabric
- > Meets the requirements of the rain tower test as received
- > Mesh-lined body and sleeves
- > Micro-fleece lined collar
- > Articulated sleeves
- > Under arm zipped opening with mesh ventilation
- > Zip detachable two-way adjustable hood with visor
- > Zipped hand warmer front pockets
- > Full length velcro-fastened storm flap
- > Large internal Nelson pocket
- > Two internal drop pockets
- > Velcro cuff adjuster

*Sizes XXS certified to class 2

SIZE	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
UK WOMEN'S SIZE	6	8	10	12	14	16	18	20	22	24	26
CHEST TO FIT (CM)	70-76	76-82	82-88	88-94	94-100	100-106	106-112	112-118	118-124	124-130	130-136



FABRIC

Ecoviz 15K 2-layer laminated recycled polyester



REFLECTIVE TAPE

Heat applied segmented chevron pattern

CARE LABEL

40









EN343 4:4 CERTIFIED TO 15 WASH CYCLES

EN343 3:3 CERTIFIED TO 25 WASH CYCLES

COLOUR



also available in
RIS-3279-TOM





Positive Impact of this product:

2.32kgCO2 avoided

19.95kWh energy saved

0.89kg waste diverted

20.32l water saved

GreenStory

Data from lifecycle assessment carried out by
Green Story meeting ISO 14040:2006 & ISO 14044:2006.

WWW.LEOWORKWEAR.COM

EU TYPE EXAMINATION CERTIFICATE



PRD N° 277B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC

Signatory of EA, IAF and ILAC Mutual Recognition Agreements

NOTIFIED BODY 2575

The PPE detailed herein meets the criteria of an EU Type Examination in accordance with Annex V, including the applicable clauses of the Essential Health and Safety Requirements of the PPE Regulation EU 2016/425.

Following an EU Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 17 of the PPE Regulation EU 2016/425.

VALIDITY OF CERTIFICATE

This certificate will cease its validity at any time if needed, in particular if changes in the manufacturing process, in the raw materials or in PPE components will occur.

INTERTEK ITALIA SpA
Via Miglioli, 2/A
Cernusco sul Naviglio (MI), Italy
T: +39 02 95383833
intertek.italia.notified.body@pec.it

Manufacturer: Leo Texiles Ltd T/A LEO WORKWEAR

Address: 1 Whiddon Drive, Barnstaple, Devon, EX32 8RY, UK

Authorised Representative: -

Address: -

Certificate No.: ITASLNB23021334

Category Product: II

Brand Name: -

Model: -

Article(s) code: LIL-300, LIL-300 (R/T), LA-300A, LA-300A (R/T), LJ-300, LJ-300 (R/T)

Product type: High Visibility Clothing

Reference(s) Standard: EN ISO 20471:2013+A1 2016, EN 13688:2013+A1 2021, EN 343:2019

Description:

#LA-300A, LA-300A (R/T) - Sizes XS-4XL, Foul weather waterproof high visibility jacket; #*LIL-300, LIL-300 (R/T) - Sizes XXS-6XL, Women's recycled foul weather waterproof high visibility jacket; #**LJ-300, LJ-300 (R/T) -has non-fluorescent material on the left and right lower torso; Two tone foul weather waterproof high visibility jacket; Sizes S-4XL. Retroreflective Tape: Two bands encircling the torso and sleeves with one band over each shoulder. #Class 3 minimum areas of fluorescent yellow, orange, or red background material and retroreflective tape. *LIL-300, LIL-300 (R/T) only Size XXS Class 2 minimum areas. After 10 wash cycles: WP: Class 4; Water vapour resistance: Class 4 (Breathable); Readymade Garment: X; After 25 wash cycles: WP: Class 3; Water vapour resistance: Class 3 (Breathable); Readymade Garment: X.

This has been shown through satisfactory testing to: EN ISO 13688:2013+A1:2021, EN ISO 20471:2013+A1:2016, EN 343:2019, RIS -3279-TOM issue2:2019 (orange only)

Examination of the Technical File Documentation, No: TECHNICAL FILE 5 (LA-300A, LA-300A (R/T)) - 09/02/2024

Test Report no. See Technical File

Remark:

Note:

Issued at: Lastra a Signa (FI)

Issue Date 15/03/2024

General Manager Elena Ruffino

Expiry Date 14/03/2029

For and on behalf of INTERTEK ITALIA SpA



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Italia S.p.A. Via Miglioli, 2/A - 20063 Cernusco sul Naviglio, Milano - Italy

UKCA Declaration of Conformity

LEO
WORKWEAR



Product Type: High Visibility Women's Breathable Jacket
Manufacturer: Leo Textiles T/A LEO WORKWEAR
Product ID: JL04-Y
Name: ROSEMOOR
Model/Label: LIL-300

The above product is in conformity with the Regulation 2016/425 on personal protective equipment, as amended to apply in GB, and is identical to the PPE which is subject of UKCA certificate No.

LECFI00389239 issued by **ITS Testing Services UK Ltd, Approved Body AB0362**, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom.

Relevant Harmonised Standards / Technical Specifications used to which conformity is declared:

EN ISO 20471:2013 + A1:2016 (Class 3, Size XXS certified to ISO 20471 Class 2), EN343:2019 with Resistance to Water Penetration (Class 4*) and Water Vapour Resistance (Class 4) (Breathable).

*This garment meets level 4 for resistance to water penetration for a maximum of 10 washes, and level 3 for a maximum of 25 washes.

This declaration of conformity is issued under the sole responsibility of LEO WORKWEAR.

Signed for on behalf of LEO WORKWEAR

Name: Peter Turner
Position: Director

Date: 06/03/2024
Signature:

Leo Workwear | 1 Whiddon Drive | Barnstaple | Devon | EX32 8RY

leoworkwear.com | Tel: 01271 378904 | Fax: 01271 327887

Company registered in England no. 1553406. Registered office as above. VAT Registration No. 321166104

Leo Workwear is a Trading Style of Leo Textiles Ltd.



USER INFORMATION SHEET



The following garments comply with the requirements of PPE Regulation (EU) 2016/425 and Regulation 2016/425 on personal protective equipment, as amended to apply in GB and the following standards - BS EN 13688: 2013 + A1: 2021, BS EN 343: 2019 and BS EN ISO 20471: 2013 + A1: 2016 using conforming retroreflection performance material and Fluorescent Yellow or Orange PU coated or laminated background material.
Orange fabric complies to rail industry standard RIS-3279-TOM Issue 2: 2019.



The Declaration of Conformance for this item is available from: leoworkwear.com or by contacting Leo Workwear at the address below.



Style: LJJL-315, LJJL-315 (R/T)

Description: Women's recycled foulweather waterproof high visibility jacket

BS EN ISO 20471: 2013 + A1: 2016 Class 3 (XXS to Class 2) areas of visible background and retroreflective tape.

Two bands of retroreflective material encircling the torso and sleeves, one band over each shoulder.

EN343: 2019 Class 4, 4, X


Badge Information: LJJL-315 (R/T) to RIS-3279-TOM Issue 2: 2019

Restricted to company or project name and logo that identify who an individual is working for and titles or designations associated with the management of incidents: Press Officer, Recovery Engineer, First Aider, Train Operators' Liaison Officer (TOLO).

Garment fit:

Fit according to chest size
Measurements in centimetres

	A	B
XXS (UK 6)	156 - 204	70 - 76
XS (UK 8)	156 - 204	76 - 82
S (UK 10)	156 - 204	82 - 88
M (UK 12)	156 - 204	88 - 94
L (UK 14)	156 - 204	94 - 100
XL (UK 16)	156 - 204	100 - 106
XXL (UK 18)	156 - 204	106 - 112
3XL (UK 20)	156 - 204	112 - 118
4XL (UK 22)	156 - 204	118 - 124
5XL (UK 24)	156 - 204	124 - 130
6XL (UK 26)	156 - 204	130 - 136



BS EN ISO 20471 Minimum required areas of visible material in m²

Garment class	3	2	1
Background material	0.80	0.50	0.14
Retroreflective material	0.20	0.13	0.10
Combined performance material	-	-	0.20

Recommended maximum continuous wearing time for a complete suit consisting of jacket and trousers

Temp of working environment °C	Class of breathability			
	1	2	3	4
	(min)	(min)	(min)	(min)
25	60	105	180	-
20	75	250	-	-
15	100	-	-	-
10	240	-	-	-
5	-	-	-	-

- = no limit for wearing time



4 = Class of waterproofness 4 highest, 1 lowest

4 = Class of breathability 4 highest, 1 lowest

X = Garment has not been tested to the readymade garment rain tower test

BS EN 343: 2019



X = Class of garment 3 highest, 1 lowest

BS EN ISO 20471: 2013 + A1: 2016

Limitations of use, warning of misuse:

Garments must be worn fastened. Underarm ventilation zip must be closed for EN ISO 20471 compliance, Should the high visibility properties of garments become seriously impaired the item should be replaced. **Warning:** Hearing and peripheral vision may be impaired when using the hood. **Storage:** Garments should be stored and transported in clean, dry conditions. DO NOT store in areas subject to direct sunlight.

Cleaning:



Non-Biological Powder Only

Machine wash at 40°C, do not bleach, do not dryclean, do not tumble dry, do not iron.

*BS EN 343:2019 4.4:X - Maximum number of wash cycles 15.

*BS EN 343:2019 3.4:X - Maximum number of wash cycles 25.



The stated maximum number of cleaning cycles is not the only factor related to the lifetime of the garment.
The lifetime will also depend on usage, care, storage, etc.

Recycling: Dispose of product according to local environmental guidelines.

Materials: Product incorporates:- Recycled PU coated & non coated Polyester, Retroreflective tape.

For more information, contact:

LEO WORKWEAR

1 Whiddon Drive, Barnstaple,
Devon, EX32 8RY

01271 378904

www.leoworkwear.com

UKCA Type Examination Conducted by:

ITS Testing Services Ltd

Centre Court, Meridian Business Park,
Leicester,

LE19 1WD

Approved body: 0362

EU Type Examination Conducted by:

INTERTEK ITALIA SpA

Via Miglioli 2/A,
20063 Cernusco sul Naviglio (MI),
Italy

Notified body: 2575