

# EU Declaration of Conformity



Product Type: High Visibility Breathable Anorak  
Manufacturer: Leo Textiles T/A LEO WORKWEAR  
Product ID: A07-O  
Name: EASTLEIGH  
Model/Label: LA-430 (R/T)

The above product is in conformity with the PPE regulation (EU) 2016/425 and is identical to the PPE which is the subject of EU certificate SH01682 issued by **Shirley Technologies (Europe) Limited, Notified Body 2895**, Sky Business Centre, Port Tunnel Business Park, Office 13 Unit 21, Clonsaugh Business & Technology Park, Dublin 17, ROI.

Relevant Harmonised Standards / Technical Specifications used to which conformity is declared:

EN ISO 20471:2013 + A1 2016 (Class 3) and RIS-3279-TOM (Issue 2:2019).

Also in compliance with EN343:2019 with resistance to water penetration – Class 4 and water vapour resistance – Class 4 (Breathable).

This declaration of conformity is issued under the sole responsibility of LEO WORKWEAR.

Signed for on behalf of LEO WORKWEAR

Name: Peter Turner

Date: 02/06/2025

Position: Director

Signature:



LEO ECOVIZ® 10K PERFORMANCE BREATHABLE ANORAK  
CODE: A07-O-LEO

## WHY THE EASTLEIGH?

Waterproof, windproof and breathable, the Eastleigh provides excellent protection from the elements whilst minimising it's impact on the environment.



ISO 20471 CLASS 3 RAILWAY ST'D RIS-3279-TOM

EN343 CLASS 4 WATERPROOFNESS EN343 CLASS 4 BREATHABILITY

TARIFF 6211331000 92-95CM LENGTH

10 BOX QUANTITY S-6XL

PFAS FREE PFAS FREE DWR TREATMENT

CARE LABEL CERTIFIED TO 10 WASH CYCLES

COLOUR RIS-3279-TOM also available



Positive Impact of this product:

- 80% recycled polyester, less CO2 & energy emissions
- Dot laminate fabric, less energy emissions
- PFAS free DWR finish, allows water to bead without the use of harmful chemicals
- Heat applied reflective tape, uses less plastic, improved waterproofness

## FEATURES

- > Ecoviz® 10K recycled polyester with PU dot-lamination, 190gsm, 80% recycled
- > Waterproof, windproof & breathable fabric
- > PFAS free DWR finish
- > Mesh-lined body and sleeves
- > Heat applied stretch reflective tape for improved garment mobility
- > Zip-secured chest pocket
- > Interactive YKK® zip
- > Interacts with Leo bodywarmer, softshell and fleece jackets
- > 3 piece concealed hood
- > Velcro-fastened cuff adjusters
- > Lycra storm cuff with stay-put thumbholes
- > Shaped high collar
- > Full length Velcro fastened double storm flap
- > Shaped drop tail back
- > Fleece-lined chin protector
- > Large internal tablet pocket
- > Internal zipped patch pocket
- > Internal drop pocket
- > Large zip-fastened front pockets
- > Double radio/camera loop

**ecoviz®**  
FABRIC  
Ecoviz 10K recycled polyester with PU dot-lamination, 190gsm

**RETROMAX+**  
PREMIUM REFLECTIVE TECH  
REFLECTIVE TAPE  
Stretch Retromax®+ heat-applied premium reflective tape

SIZE	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
CHEST TO FIT (CM)	86-94	94-102	102-110	110-118	118-126	126-134	134-142	142-150	150-158



Personal Protective Equipment Regulation (EU) 2016/425

# Certificate

## Module B EU Type-Examination

### Manufacturer

#### Leo Workwear

1 Whiddon Drive, Barnstaple, Devon, EX32 8RY

### Product Description:

Overtrouser – Breathable LL-430 & LL-440  
Railway Overtrouser – Breathable LL-430(R/T) & LL-440(R/T)  
Anorak – Breathable LA-430 (With Lining)  
Railway Anorak – Breathable LA-430 (R/T) (With Lining)

### Product Code:

LL-430; LL-440; LL-430 (R/T); LL-440 (R/T); LA-430; LA-430 (R/T)

### Technical File Reference:

TF16

### Harmonised Standard(s):

EN ISO 13688:2013/A1:2021; EN ISO 20471:2013+A1:2016  
(LL-430 & LL-430(R/T): Class 1; LL-440 & LL-440(R/T): Class 2; LA-430 & LA-430 (R/T): Class 3)  
EN 343:2019 (4,4,X)

### Technical Specification:

RIS-3279-TOM Issue 2 (2019) (HV Orange garments only)

### Certificate Number: SH01682

Issued by: Shirley® (Notified Body No. 2895 for Regulation (EU) 2016/425)

**First issue:** 30 May 2025      **Date of Issue:** 30 May 2025      **Expiry:** 30 May 2030

Authorised by

C A Butcher

Certification Manager

The attached schedule of approval forms part of this certificate.  
Note: The validity of this certificate can be confirmed by contacting the Issuing Office:  
Shirley Technologies (Europe) Limited, Sky Business Centre, Port Tunnel Business Park, Office 13  
Unit 21, Clonsaugh Business & Technology Park, Dublin 17, ROI  
Tel: +353 (0) 01894 1448 email: info@shirley.ie website: www.shirley.ie



# UKCA Declaration of Conformity



Product Type: High Visibility Breathable Anorak  
Manufacturer: Leo Textiles T/A LEO WORKWEAR  
Product ID: A07-O  
Name: EASTLEIGH  
Model/Label: LA-430 (R/T)

The above product is in conformity with the Regulation 2016/425 on personal protective equipment, as amended to apply in GB, and is identical to the PPE which is subject of EU certificate SH01682 issued by **Shirley Technologies (Europe) Limited, Notified Body 2895**, Sky Business Centre, Port Tunnel Business Park, Office 13 Unit 21, Clonshaugh Business & Technology Park, Dublin 17, ROI.

Relevant Harmonised Standards / Technical Specifications used to which conformity is declared:

EN ISO 20471:2013 + A1 2016 (Class 3) and RIS-3279-TOM (Issue 2:2019).

Also in compliance with EN343:2019 with resistance to water penetration – Class 4 and water vapour resistance – Class 4 (Breathable).

This declaration of conformity is issued under the sole responsibility of LEO WORKWEAR.

Signed for on behalf of LEO WORKWEAR

Name: Peter Turner  
Position: Director

Date: 02/06/2025  
Signature:



# USER INFORMATION SHEET



The following garments comply with the requirements of PPE Regulation (EU) 2016/425 and Regulation 2016/425 on personal protective equipment, as amended to apply in GB and the following standards - BS EN 13688: 2013 + A1: 2021, BS EN 343: 2019 and BS EN ISO 20471: 2013 + A1: 2016 using conforming retroreflection performance material and Fluorescent Yellow, Red or Orange background material. Orange fabric complies to rail industry standard RIS-3279-TOM Issue 2: 2019.



The Declaration of Conformance for this item is available from: [leoworkwear.com](http://leoworkwear.com) or by contacting Leo Workwear at the address below.



**Description:** Foulweather recycled waterproof high visibility jacket  
**BS EN ISO 20471: 2013 + A1: 2016 Class 3** areas of visible background and retroreflective tape. Two bands of retroreflective material encircling the torso and sleeves, one band over each shoulder.  
**LA-430, LA-430 (R/T) BS EN 343: 2019 Class 4, 4**



**Description:** Foulweather recycled waterproof high visibility overtrousers  
**BS EN ISO 20471: 2013 + A1: 2016 Class 1** areas of visible background and retroreflective tape. Two bands of retroreflective material encircling the legs.  
**LL-430 BS EN 343: 2019 Class 4, 4**




**Description:** Foulweather recycled waterproof high visibility overtrousers  
**BS EN ISO 20471: 2013 + A1: 2016 Class 2** areas of visible background and retroreflective tape. Three bands of retroreflective material encircling the legs.  
**LL-440 (R/T) BS EN 343: 2019 Class 4, 4**

**Badge Information:** LA-430 (R/T) and LL-440 (R/T) to RIS-3279-TOM Issue 2: 2019

Restricted to company or project name and logo that identify who an individual is working for and titles or designations associated with the management of incidents: Press Officer, Recovery Engineer, First Aider, Train Operators' Liaison Officer (TOLO).

## Garment fit:

Fit according to chest/waist size  
 Measurements in centimetres



	A	B	C
<b>Small</b>	156 - 204	86 - 94	71 - 79
<b>Medium</b>	156 - 204	94 - 102	79 - 86
<b>Large</b>	156 - 204	102 - 110	86 - 94
<b>XL</b>	156 - 204	110 - 118	94 - 102
<b>XXL</b>	156 - 204	118 - 126	102 - 109
<b>3XL</b>	156 - 204	126 - 134	109 - 117
<b>4XL</b>	156 - 204	134 - 142	117 - 124
<b>5XL</b>	156 - 204	142 - 150	124 - 132
<b>6XL</b>	156 - 204	150 - 158	132 - 140

Recommended maximum continuous wearing time for a complete suit consisting of jacket and trousers

Temp of working environment °C	Class of breathability			
	1	2	3	4
	(min)	(min)	(min)	(min)
25	60	105	180	-
20	75	250	-	-
15	100	-	-	-
10	240	-	-	-
5	-	-	-	-

- = no limit for wearing time



**4** = Class of waterproofness 4 highest, 1 lowest

**4** = Class of breathability 4 highest, 1 lowest

**X** = Garment has not been tested to the readymade garment rain tower test

**BS EN 343: 2019**



**X** = Class of garment 3 highest, 1 lowest

**BS EN ISO 20471:2013 + A1:2016**

BS EN ISO 20471 Minimum required areas of visible material in m<sup>2</sup>

Garment class	3	2	1
Background material	0.80	0.50	0.14
Retroreflective material	0.20	0.13	0.10
Combined performance material	-	-	0.20

## Limitations of use, warning of misuse:

Garments must be worn fastened. Should the high visibility properties of garments become seriously impaired the item should be replaced.

**Warning:** Hearing and peripheral vision may be impaired when using the hood. **Storage:** Garments should be stored and transported in clean, dry conditions. DO NOT store in areas subject to direct sunlight.

## Cleaning:



Non-Biological Powder Only

Machine wash at 40°C, do not bleach, do not dryclean, do not tumble dry, do not iron.

Maximum number of wash cycles 10.



The stated maximum number of cleaning cycles is not the only factor related to the lifetime of the garment. The lifetime will also depend on usage, care, storage, etc.

**Recycling:** Dispose of product according to local environmental guidelines. Materials: **Product incorporates:-** Recycled PU coated & non coated Polyester/Nylon, Retroreflective tape.

For more information, contact:

**LEO WORKWEAR**

1 Whiddon Drive, Barnstaple,  
 Devon, EX32 8RY

[www.leoworkwear.com](http://www.leoworkwear.com)

UKCA Type Examination Conducted by:

**Eurofins MTS Consumer Product Testing UK Ltd**

118, Lupton Avenue,  
 Leeds,

LS9 6ED

**Approved body: 2377**

EU Type Examination Conducted by:

**Eurofins Textile Testing Spain, S.L.U.**

c/German Bernacer, 4 03203,  
 Elche (Alicante),  
 Spain

**Notified body: 2865**